# SmallRig

NP-FZ100 Dummy Battery with Power Adapter (American standard)

User Manual

### Foreword

Thank you for purchasing SmallRig products.

## Warnings

- Please read this User Manual Carefully before using the product.
- Keep the User Manual property. If other users want to use this product, give this User Manual with the product.
   Note all the warnings and follow all the instructions provided in
- this user manual.

  Do not disassemble the product. If the product is deformed or
- gets wet, immediately stop all use.

  Avoid dropping the product. Do not use it in excessive
- temperature or short circuit situation.
- Keep out of reach of chilldren.



### Intended Use Please read this User Manual carefully, especially the "Warnings".

 Please use or store the product in the environment mentioned herein. It will be regarded as an improper use when the users are not

correctly follow the User Manual or use the product under the specific working condition.

In the Box NP-FZ100 Dummy Battery Power Cable

**Parameters** 

7 6V - 8 4V

1.5A (Max)

2A (Max)

AC: 100-240V ~ 50 / 60Hz

× 1

× 1

x 1

Power Supply Adapter

Specifications Items

Input Voltage

Input Current

Output Current

Output voltage range

## AC Cable with US Plug

## User Manual

Storage remperature	-20 C - + 00 C
* The data are measured by SmallRig Lab but may vary based on specific circumstances.	
How to use 1. Connect the dummy battery, the	e adapter and the AC cable
in sequence, and power on.  2. Insert the powered dummy bat	

Operating Temperature

compartment correctly.

3. Close the battery compartment cover.

0°C ~ 45°C

- 20°C ~ + 60°C