

SmallRig

LP-E6NH

Dummy Battery with Power Adapter
(American standard)

User Manual

Thank you for purchasing SmallRig products.

Warnings

- Please read this User Manual Carefully before using the product.
- Keep the User Manual properly. If other users want to use this product, give this User Manual with the product.
- Note all the warnings and follow all the instructions provided in this user manual.
- Do not disassemble the product. If the product is deformed or gets wet, immediately stop all use.
- Avoid dropping the product. Do not use it in excessive temperature or short circuit situation.
- Keep out of reach of children.



Do not disassemble the product or change its battery.
If you have any questions, please contact the seller to apply after-sales service.

In the Box

LP-E6NH Dummy Battery Power Cable	× 1
Power Supply Adapter	× 1
AC Cable with US Plug	× 1
User Manual	× 1

Specifications

Items	Parameters
Input Voltage	AC: 100-240V ~ 50 / 60Hz
Output voltage range	7.6V - 8.4V
Input Current	1.5A (Max)
Output Current	2A (Max)
Operating Temperature	0°C ~ 45°C
Storage Temperature	- 20°C ~ + 60°C

* The data are measured by SmallRig Lab but may vary based on specific circumstances.

How to use

1. Connect the dummy battery, the adapter, and the AC cable in sequence, and power on.
2. Insert the powered dummy battery into the camera battery compartment correctly.
3. Close the battery compartment cover.