


SmallRig



RA-D60 mini Parabolic Softbox RA-D60 mini 抛物线柔光箱

Operating Instruction / 操作指引

- Thank you for purchasing SmallRig's product.
感谢您购买 SmallRig 产品。
- Please read this Operating Instruction carefully.
使用本产品之前，请仔细阅读操作指引。
- Please follow the safety warnings.
请注意所有警告提示并遵循使用操作指引的所有指令。

In the Box / 包装清单

| | | | |
|-----------------------------|-----|--------|-----|
| Parabolic Softbox | × 1 | 抛物线柔光箱 | × 1 |
| Fabric Diffusion (Internal) | × 1 | 内柔光布 | × 1 |
| Fabric Diffusion (External) | × 1 | 外柔光布 | × 1 |
| Carrying Bag | × 1 | 收纳包 | × 1 |
| Operating Instruction | × 1 | 操作指引 | × 1 |
| Guarantee Card | × 1 | 保修卡 | × 1 |

Product Details / 产品介绍

- RA-D60 mini Parabolic Softbox is a versatile soft light accessory for SmallRig RC 60 / 100 LED video light with 60cm / 23.6in diameter.
RA-D60 mini 抛物线柔光箱是一款尺寸为60cm，RC 60 / 100系列灯具专用的柔光附件。
- The new generation of self-developed quick release design, with the diffusion installed into the frame, and a one-click unlocking system. Easily assemble and disassemble the dome, simplifying the use process, and bringing you the best user experience.
自主研发最新一代专利快拆结构，轻轻一捏即可完成装卸，简化使用流程，带给您最好的用户体验。
- RA-D60 mini also includes a high-quality fabric grid to help focus in your light beam angle to 45 degrees, which will allow you to maximize control of your lighting.
标配 45°格栅，有效约束光线范围，适用更多场景。
- The Parabolic Softboxes adopt industrial-grade soft material and highly reflective coating with fabric diffusion for a stronger soft effect to satisfy your different needs.
采用工业级柔光材料和高反光涂层，并标配内外柔光布，获得更强的柔光效果，满足您的不同需求。

Installation & Removal

安装 / 拆卸



Method 1: Put the softbox on the flat ground and press it open with both hands.

方式一：将柔光箱放在平地上用双手按压撑开。



Method 2: Press the chassis diagonally and pull the ribs up respectively.

方式二：将柔光箱主体竖立起来，对角分别向上提拉伞骨。



Paste the diffusion and grid onto the black Velcro tape on the edge of the softbox.
将柔光布、格栅沿着柔光箱内侧边缘粘贴到黑色魔术贴上。



Disassembly: Pinch your fingers together until you hear a click to complete disassembly.

拆卸：双手手指对捏解锁键，直到听到咔声即可完成拆卸。

Specifications / 产品参数

| | |
|--|--|
| Product Name 产品名称 | RA-D60 mini Parabolic Softbox RA-D60 mini 抛物线柔光箱 |
| Open Softbox Size 柔光箱展开尺寸 | $\phi 23.6 \times 14.2$ in $\phi 600 \times 360$ mm |
| Fabric Diffusion (Internal) Size 内柔光布尺寸 | $\phi 18.5$ in $\phi 470$ mm |
| Fabric Diffusion (External) Size 外柔光布尺寸 | $\phi 22.4$ in $\phi 570$ mm |
| Product Weight 产品净重 | 1.54lbs 700g |

Specifications subject to change without prior notice. Please refer to the physical product for the most up-to-date information.

技术参数如有改动，以实物为准，恕不另行通知。

执行标准：GB/T 26572-2011

CE RoHS



LQ-B264-18
Made in China
中国制造

