


# SmallRig


- EN** Operating Instruction
- DE** Betriebsanweisungen
- FR** Instructions opérationnelles
- IT** Istruzioni per l'uso
- ES** Instrucciones operativas
- PT** Instruções de funcionamento
- NL** Gebruiksaanwijsties
- SE** Bruksanvisning



240W 4-Port PD Power Adapter

## Product Details

DE: Produkte    FR: Introduction du produit    IT: Descrizione del prodotto  
ES: Presentación del producto    PT: Apresentação do Produto  
NL: Productinleiding    SE: Produktbeskrivning



## EN Specifications

Item	Specification
Total power output	240W
Power Input	100-240VAC 50 / 60Hz 4.0A
Power Output	<p>Single-port</p> <p>USB-C1 / C2 / C3 / C4:            5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A,            20.0V=5.0A, 28.0V=5.0A  <b>Total: 140W (Max)</b></p>
	<p>Dual-port</p> <p>USB-C1 + C2 / C3 + C4:            100W + 40W / 40W + 100W / 70W + 70W  <b>Total: 140W (Max)</b>            C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W  <b>Total: 240W (Max)</b></p>
	<p>Three-port</p> <p>USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W            / 100W + 40W + 100W / 40W + 100W + 100W  <b>Total: 240W (Max)</b>            USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W            / 140W + 40W + 60W / 140W + 50W + 50W  <b>Total: 240W (Max)</b></p>
	<p>All-port</p> <p>USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W            / 100W + 40W + 40W + 60W / 100W + 40W + 50W            + 50W / 70W + 70W + 50W + 50W / 70W + 70W            + 60W + 40W / 70W + 70W + 40W + 60W / 40W            + 100W + 40W + 60W / 40W + 100W + 60W + 40W            / 40W + 100W + 50W + 50W  <b>Total: 240W (Max)</b></p>
Material	PC
Net Weight of Product	664.0 ± 10.0g / 23.4 ± 0.4oz
Product Dimensions	122.0 × 88.0 × 35.0mm / 4.8 × 3.5 × 1.3in

Artikel		Spezifikation
Gesamtleistungsabgabe		240W
Leistungsaufnahme		100-240VAC 50 / 60Hz 4.0A
Ausgangsleistung	Einzelanschluss	USB-C1 / C2 / C3 / C4: 5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A, 20.0V=5.0A, 28.0V=5.0A Total: 140W (Max)
	Zweifachanschluss	USB-C1 + C2 / C3 + C4: 100W + 40W / 40W + 100W / 70W + 70W Total: 140W (Max) C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W Total: 240W (Max)
	Drei Anschlüsse	USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W / 100W + 40W + 100W / 40W + 100W + 100W Total: 240W (Max) USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W / 140W + 40W + 60W / 140W + 50W + 50W Total: 240W (Max)
	Alle Anschlüsse	USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W / 100W + 40W + 40W + 60W / 100W + 40W + 50W + 50W / 70W + 70W + 50W + 50W / 70W + 70W + 60W + 40W / 70W + 70W + 40W + 60W / 40W + 100W + 40W + 60W / 40W + 100W + 60W + 40W / 40W + 100W + 50W + 50W Total: 240W (Max)
Material		PC
Nettogewicht		664.0 ± 10.0g / 23.4 ± 0.4oz
Produktgröße		122.0 × 88.0 × 35.0mm / 4.8 × 3.5 × 1.3in

Élément		Spécifications
Puissance totale de sortie		240W
Puissance absorbée		100-240VAC 50 / 60Hz 4.0A
Puissance de sortie	Port unique	USB-C1 / C2 / C3 / C4: 5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A, 20.0V=5.0A, 28.0V=5.0A Total: 140W (Max)
	Double port	USB-C1 + C2 / C3 + C4: 100W + 40W / 40W + 100W / 70W + 70W Total: 140W (Max) C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W Total: 240W (Max)
	Trois ports	USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W / 100W + 40W + 100W / 40W + 100W + 100W Total: 240W (Max) USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W / 140W + 40W + 60W / 140W + 50W + 50W Total: 240W (Max)
	Tous ports	USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W / 100W + 40W + 40W + 60W / 100W + 40W + 50W + 50W / 70W + 70W + 50W + 50W / 70W + 70W + 60W + 40W / 70W + 70W + 40W + 60W / 40W + 100W + 40W + 60W / 40W + 100W + 60W + 40W / 40W + 100W + 50W + 50W Total: 240W (Max)
Matériau		PC
Poids net du produit		664.0 ± 10.0g / 23.4 ± 0.4oz
Taille du produit		122.0 × 88.0 × 35.0mm / 4.8 × 3.5 × 1.3in

Progetto		Specifica
Potenza totale in uscita		240W
Potenza in ingresso		100-240VAC 50 / 60Hz 4.0A
Potenza in uscita	Porta singola	USB-C1 / C2 / C3 / C4: 5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A, 20.0V=5.0A, 28.0V=5.0A Total: 140W (Max)
	Doppia porta	USB-C1 + C2 / C3 + C4: 100W + 40W / 40W + 100W / 70W + 70W Total: 140W (Max) C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W Total: 240W (Max)
	A tre porte	USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W / 100W + 40W + 100W / 40W + 100W + 100W Total: 240W (Max) USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W / 140W + 40W + 60W / 140W + 50W + 50W Total: 240W (Max)
	A tutte le porte	USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W / 100W + 40W + 40W + 60W / 100W + 40W + 50W + 50W / 70W + 70W + 50W + 50W / 70W + 70W + 60W + 40W / 70W + 70W + 40W + 60W / 40W + 100W + 40W + 60W / 40W + 100W + 60W + 40W / 40W + 100W + 50W + 50W Total: 240W (Max)
Materiale		PC
Peso del prodotto		664.0 ± 10.0g / 23.4 ± 0.4oz
Taglia del prodotto		122.0 × 88.0 × 35.0mm / 4.8 × 3.5 × 1.3in

## ES Parámetros del producto

Artículo	Especificación
Potencia total de salida	240W
Potencia de entrada	100-240VAC 50 / 60Hz 4.0A
Potencia de salida	<p>Puerto único</p> <p>USB-C1 / C2 / C3 / C4: 5.0V<math>\rightarrow</math>3.0A, 9.0V<math>\rightarrow</math>3.0A, 12.0V<math>\rightarrow</math>3.0A, 15.0V<math>\rightarrow</math>3.0A, 20.0V<math>\rightarrow</math>5.0A, 28.0V<math>\rightarrow</math>5.0A Total: 140W (Max)</p>
	<p>Doble puerto</p> <p>USB-C1 + C2 / C3 + C4: 100W + 40W / 40W + 100W / 70W + 70W Total: 140W (MAX) C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W Total: 240W (Max)</p>
	<p>Tres puertos</p> <p>USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W / 100W + 40W + 100W / 40W + 100W + 100W Total: 240W (Max) USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W / 140W + 40W + 60W / 140W + 50W + 50W Total: 240W (Max)</p>
	<p>Todos los puertos</p> <p>USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W / 100W + 40W + 40W + 60W / 100W + 40W + 50W + 50W / 70W + 70W + 50W + 50W / 70W + 70W + 60W + 40W / 70W + 70W + 40W + 60W / 40W + 100W + 40W + 60W / 40W + 100W + 60W + 40W / 40W + 100W + 50W + 50W Total: 240W (Max)</p>
Materiale	PC
Peso neto del producto	664.0 $\pm$ 10.0g / 23.4 $\pm$ 0.4oz
Tamaño del producto	122.0 $\times$ 88.0 $\times$ 35.0mm / 4.8 $\times$ 3.5 $\times$ 1.3in

**PT** Especificações do Produto

Item	Especificação
Potência total de saída	240W
Entrada de potência	100-240VAC 50 / 60Hz 4.0A
Saída de potência	Porta única USB-C1 / C2 / C3 / C4: 5.0V $\rightarrow$ 3.0A, 9.0V $\rightarrow$ 3.0A, 12.0V $\rightarrow$ 3.0A, 15.0V $\rightarrow$ 3.0A, 20.0V $\rightarrow$ 5.0A, 28.0V $\rightarrow$ 5.0A Total: 140W (Max)
	Porta dupla USB-C1 + C2 / C3 + C4: 100W + 40W / 40W + 100W / 70W + 70W Total: 140W (Max) C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W Total: 240W (Max)
	Três portas USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W / 100W + 40W + 100W / 40W + 100W + 100W Total: 240W (Max) USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W / 140W + 40W + 60W / 140W + 50W + 50W Total: 240W (Max)
	Todas as portas USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W / 100W + 40W + 40W + 60W / 100W + 40W + 50W + 50W / 70W + 70W + 50W + 50W / 70W + 70W + 60W + 40W / 70W + 70W + 40W + 60W / 40W + 100W + 40W + 60W / 40W + 100W + 60W + 40W / 40W + 100W + 50W + 50W Total: 240W (Max)
Material	PC
Peso líquido	664.0 $\pm$ 10.0g / 23.4 $\pm$ 0.4oz
Dimensões do produto	122.0 $\times$ 88.0 $\times$ 35.0mm / 4.8 $\times$ 3.5 $\times$ 1.3in



**NL** Productparameters

Item	Specificaties
Totaal uitgangsvermogen	240W
Ingevoerd vermogen	100-240VAC 50 / 60Hz 4.0A
Uitgangsvermogen	<b>Enkele poort</b> USB-C1 / C2 / C3 / C4: 5.0V $\rightarrow$ 3.0A, 9.0V $\rightarrow$ 3.0A, 12.0V $\rightarrow$ 3.0A, 15.0V $\rightarrow$ 3.0A, 20.0V $\rightarrow$ 5.0A, 28.0V $\rightarrow$ 5.0A <b>Total: 140W (Max)</b>
	<b>Dubbele poort</b> USB-C1 + C2 / C3 + C4: 100W + 40W / 40W + 100W / 70W + 70W <b>Total: 140W (Max)</b> C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W <b>Total: 240W (Max)</b>
	<b>Driepoorts</b> USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W / 100W + 40W + 100W / 40W + 100W + 100W <b>Total: 240W (Max)</b> USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W / 140W + 40W + 60W / 140W + 50W + 50W <b>Total: 240W (Max)</b>
	<b>Alle poorten</b> USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W / 100W + 40W + 40W + 60W / 100W + 40W + 50W + 50W / 70W + 70W + 50W + 50W / 70W + 70W + 60W + 40W / 70W + 70W + 40W + 60W / 40W + 100W + 40W + 60W / 40W + 100W + 60W + 40W / 40W + 100W + 50W + 50W <b>Total: 240W (Max)</b>
Materiaal	PC
Nettogewicht van het product	664.0 $\pm$ 10.0g / 23.4 $\pm$ 0.4oz
Productafmetingen	122.0 $\times$ 88.0 $\times$ 35.0mm / 4.8 $\times$ 3.5 $\times$ 1.3in

**SE** Produkt Parametrar

Artikel		Specifikation
Total uteffekt		240W
Inmatad effekt		100-240VAC 50 / 60Hz 4.0A
Utmatad effekt	Enkel port	USB-C1 / C2 / C3 / C4: 5.0V↔3.0A, 9.0V↔3.0A, 12.0V↔3.0A, 15.0V↔3.0A, 20.0V↔5.0A, 28.0V↔5.0A Total: 140W (Max)
	Dubbla portar	USB-C1 + C2 / C3 + C4: 100W + 40W / 40W + 100W / 70W + 70W Total: 140W (Max) C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W Total: 240W (Max)
	Tre portar	USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W / 100W + 40W + 100W / 40W + 100W + 100W Total: 240W (Max) USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W / 140W + 40W + 60W / 140W + 50W + 50W Total: 240W (Max)
	Alla portar	USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W / 100W + 40W + 40W + 60W / 100W + 40W + 50W + 50W / 70W + 70W + 50W + 50W / 70W + 70W + 60W + 40W / 70W + 70W + 40W + 60W / 40W + 100W + 40W + 60W / 40W + 100W + 60W + 40W / 40W + 100W + 50W + 50W Total: 240W (Max)
Material		PC
Nettovikt för produkten		664.0 ± 10.0g / 23.4 ± 0.4oz
Produktens mått		122.0 × 88.0 × 35.0mm / 4.8 × 3.5 × 1.3in

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 103, 501 and 601, Building 5, Fenghe Industrial Park, Nos. 1301-50  
Guanguang Road, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Rooms 602, Building 5, Fenghe Industrial Park, No. 1301-50 Guanguang Road,  
Xinlan Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

---

执行标准: GB4943.1-2022

**CE RoHS FCC**



LQ-B324-18

Made in China



FREE YOUR DREAM